| දුරකථන _{தொலைபேசி} Telephone |) 0112669192 , 0112675011) 0112698507 , 0112694033) 0112675449 , 0112675280 | | මගේ අංකය எனது இல My No. |)EPID/400/n-CoV/Vaccine)) |
|---|---|--|---------------------------------|-----------------------------------|
| ෆැක්ස් ⊔ෙස්භේ Fax |) 0112693866) 0112693869) 0112692913 | | ඔබේ අංකය உழது இல Your No. |) |
| විදාසුත් තැපෑල மின்னஞ்சல் முகவரி e-mail වෙබ් අඩවිය |)postmaster@health.gov.lk))) www.health.gov.lk | සුවසිරිපාය சுவசிரிபாய SUWASIRIPAYA | දිනය නියනි Date | 3022/12/22 |
| இணையத்தளம் website | | සෞඛ්ය අමාතයංශය | | • |
| | | சுகாதார அமைச்சு Ministry of Health | | |

Director-NHSL,
Provincial Directors of Health Services
Regional Directors of Health Services
Directors of all Teaching, Provincial General, General, and Base hospitals,

<u>Utilization of remaining COVID-19 Sinopharm (SARS-Cov-2 VERO Cell, Inactivated-BBIBP-CorV)</u> vaccine to strengthen COVID vaccination campaign

The Ministry of Health has taken the decision to utilize the remaining COVID -19 Sinopharm (SARS-Cov-2 VERO Cell, Inactivated-BBIBP-CorV) vaccine to strengthen the COVID vaccination campaign as follows:

- For anyone above 18 years of age including pregnant mothers to complete the primary vaccination (1st & 2nd dose),
- For anyone above 18 years of age including pregnant mothers who had taken one dose of any Covid-19 vaccine type to complete the primary vaccination (1st & 2nd dose),
- Provide the 1st booster dose for anyone above **20 years** of age who has completed 2 doses from any Covid-19 vaccine type & where the time elapsed is 3 months from the 2nd dose, irrespective of the comorbidity status, pregnancy, or lactation.
- Provide the 2nd booster dose for anyone above 20 years of age who has completed 3 doses from any Covid-19 vaccine type & where the time elapsed is 3 months from the 3rd dose.

 Regarding the 2nd booster dose for pregnant mothers, follow the circular guidelines issued by the Ministry of Health (EPID/400/COVID-19/VOL 5 dated 04/08/2022)

Advice strictly to follow the SARS-CoV-2 Vaccine (Vero Cell), Inactivated (BIBP) vaccination campaign guidelines issued on 06/06/2021 by the Epidemiology Unit, Ministry of Health found in www.epid.gov.lk for vaccine storage, vial preparation, administration, clinic preparation, follow up and surveillance of Adverse Events Following Immunization (AEFI).

Sinopharm vaccines present as five or two dose vials. In specific situations where fewer individuals are present, the supervising officer has the authority to decide upon opening a vial considering the circumstances.

The individual vaccination data should be entered into the web-based "vaccine tracker" system and the vaccination summary data should be entered into the web-based "e-NIP" system as per the instructions given by the Epidemiology Unit.

If you need any further technical clarifications, please contact the Chief Epidemiologist of the Epidemiology Unit. Additional resource materials can find on the website www.epid.gov.lk.

Thank you,

Dr. Asela Gunawardena

Director General of Health Services

Dr. ASELA GUNAWARDENA Salth Services

Cc:

i. Hon. Minister of Health

Cac 460 10.

ii. Secretary, Ministry of Health

iii. Additional Secretary (Public Health Services)

The Mawatha,

Deputy Director General (PHS) -1 iv.

V. Chief Epidemiologist

Director/MCH/FHB vi.

Provincial and district CCPs vii.

viii. Regional Epidemiologists

MOO/MCH ix.